Application No.: 10/501856 Docket No.: BRMZ-P02-004

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of making a genetic modification in a target gene of a plant cell comprising:

- a) providing a DNA fragment having a length of between 400 and 800 nt and having essentially the sequence of the targeted gene as modified or of the complement thereof, which fragment is not Watson Crick bound <u>hybridized</u> to another nucleic acid;
- b) introducing the DNA fragment into the plant cell; and
- c) identifying the presence of the modified target gene.
- 2. (Original) The method of claim 1, wherein the DNA fragment is made substantially free of a complementary DNA prior to its introduction into the plant cell.
- 3. (Original) The method of claim 2, which further comprises the generation of a plant from the plant cell.
- 4. (**Previously Presented**) The method of claim 2, wherein providing the DNA fragment comprises separating a biotinylated DNA strand from a complementary non-biotinylated DNA strand, wherein the fragment is either the biotinylated strand or the non-biotinylated strand.
- 5. (Original) The method of claim 1, which further comprises the generation of a plant from the plant cell.
- 6. (New) The method of claim 1, wherein the plant cell is from a plant selected from the group consisting of rice, maize, wheat, soy, canola, sesame, sun flower, cotton and tobacco.

Application No.: 10/501856 Docket No.: BRMZ-P02-004

7. (New) The method of claim 1, wherein the target gene is selected from the group consisting of acetolactate synthase (ALS) and 5-enolpyruvyl-3-phosphoshikimate synthase (EPSPS).

- 8. (New) The method of claim 1, wherein the plant cell is a protoplast.
- 9. (New) The method of claim 8, wherein introducing the DNA fragment into the protoplast is effected by microinjection of the protoplast or by protoplast electroporation.
- 10. (New) The method of claim 1, wherein introducing the DNA fragment into the plant cell is effected by pollen electroporation or biolistic particle bombardment.
- 11. (New) The method of claim 1, wherein the DNA fragment does not comprise a selectable marker.
- 12. (New) The method of claim 6, wherein the plant cell is a protoplast.
- 13. (New) A method of making a genetic modification in a target gene of a plant cell comprising:
 - a) providing a single-stranded DNA fragment having a length of between 400 and 800 nt and having the sequence of the targeted gene as modified or of the complement thereof;
 - b) introducing the DNA fragment into the plant cell; and
 - c) identifying the presence of the modified target gene.
- 14. (Original) The method of claim 13, which further comprises the generation of a plant from the plant cell.
- 15. (New) The method of claim 13, wherein the plant cell is from a plant selected from the group consisting of rice, maize, wheat, soy, canola, sesame, sun flower, cotton and tobacco.

Application No.: 10/501856 Docket No.: BRMZ-P02-004

16. (New) The method of claim 13, wherein the target gene is selected from the group consisting of acetolactate synthase (ALS) and 5-enolpyruvyl-3-phosphoshikimate synthase (EPSPS).

- 17. (New) The method of claim 13, wherein the plant cell is a protoplast.
- 18. (New) The method of claim 17, wherein introducing the DNA fragment into the protoplast is effected by microinjection of the protoplast or by protoplast electroporation.
- 19. (New) The method of claim 13, wherein introducing the DNA fragment into the plant cell is effected by pollen electroporation or biolistic particle bombardment.
- 20. (New) The method of claim 15, wherein the plant cell is a protoplast.